

Sanctuary

DC

A stunning fan to improve airflow and cooling in open plan areas and covered outdoor spaces.

W-CFFCSA4MB-B4NA - 70"
Matte Black
Natural Blades



W-CFFCSA4MB-B4TK - 70"
Matte Black
Teak Blades



W-CFFCSA4WH-B4WH - 70"
Matte White
Whitewash Blades



W-CFFCSA4WH-B4NA - 70"
Matte White
Natural Blades



W-CFFCSA4WH-B4TK - 70"
Matte White
Teak Blades



W-CFFCSA4MB-B4BL - 70"
Matte Black
Black Blades



70"
1778mm



5
Year

5 Year
Motor Warranty
2 year in home
+ 3 year motor
replacement

Technical Data

Install Location:	Indoor/Outdoor* & Coastal	Reversible:	Yes (via remote)
Motor Type:	DC	Timer:	1H / 4H / 8H
Blade Material:	Solid Timber	Ceiling Mount Angle:	0-15°
Operation:	Remote Control	Blade Pitch:	10° (Approx)
Remote frequency 433 MHz			


Anti corrosive paint applied on all metal components & waterproof sealer on solid timber blades

Performance 70" Models

Speed	Motor Wattage	RPM	Airflow (m3/hr)
1	5.4w	55	3,150
2	10.3w	86	5,230
3	15w	103	6,879
4	20w	115	8,520
5	26w	128	9,053
6	38w	147	11,176



Dimensions



This fan requires a minimum ceiling height of 2.7m.

Extension Rods

W-CRFCU90BL-LOOM3
Matte Black 900mm

W-CRFCU90WH-LOOM3
White 900mm

W-CRFCU180BL-LOOM3
Matte Black 1800mm

W-CRFCU180WH-LOOM3
White 1800mm

Sanctuary

XL DC

Drawing broad strokes from solid timber blades, the Fanco Sanctuary creates an instant refuge from the heat.

W-CFFCSAMB-B5NA - 86"
W-CFFCSAMB-B6NA - 92"
Matte Black
Natural Blades



W-CFFCSAMB-B5TK - 86"
W-CFFCSAMB-B6TK - 92"
Matte Black
Teak Blades



W-CFFCSAWH-B5WH - 86"
W-CFFCSAWH-B6WH - 92"
Matte White
Whitewash Blades



W-CFFCSAWH-B5NA - 86"
W-CFFCSAWH-B6NA - 92"
Matte White
Natural Blades



W-CFFCSAWH-B5TK - 86"
W-CFFCSAWH-B6TK - 92"
Matte White
Teak Blades



W-CFFCSAMB-B5BL - 86"
W-CFFCSAMB-B6BL - 92"
Matte Black
Black Blades



86"
2184mm

92"
2340mm

5
Year

5 Year
Motor Warranty
2 year in home
+ 3 year motor
replacement

Technical Data

Install Location:	Indoor/Outdoor* & Coastal	Reversible:	Yes (via remote)
Motor Type:	DC	Timer:	1H / 4H / 8H
Blade Material:	Solid Timber	Ceiling Mount Angle:	0-15°
Operation:	Remote Control	Blade Pitch:	10° (Approx)
Remote frequency 433 MHz			

Anti corrosive paint applied on all metal components & waterproof sealer on solid timber blades


Performance 86" Models

Speed	Motor Wattage	RPM	Airflow (m3/hr)
1	12w	78	2,960
2	15.6w	87	6,569
3	22.2w	98	9,089
4	30w	110	11,246
5	39.8w	121	12,005
6	54.3w	131	14,052

Performance 92" Models

Speed	Motor Wattage	RPM	Airflow (m3/hr)
1	12w	75	3,610
2	15.7w	86	7,796
3	22.5w	93	11,152
4	30.4w	105	12,896
5	40w	116	14,058
6	54.8w	127	16,235

Dimensions



This fan requires a minimum ceiling height of 2.7m.

Extension Rods

W-CRFCU90BL-LOOM3
Matte Black 900mm

W-CRFCU90WH-LOOM3
White 900mm

W-CRFCU180BL-LOOM3
Matte Black 1800mm

W-CRFCU180WH-LOOM3
White 1800mm